

PIPE SIZE	DN	CODE	A	B	C	D	E	F	G	BOLT	KG EACH	BOLT KIT CODE
1/2	15	F1630.5	45	65	95	22	16	2	14	4XM12	0.68	BK03
3/4	20	F1630.75	58	75	105	27.5	18	2	14	4XM12	0.94	BK03
1	25	F1631.0	68	85	115	34.5	18	2	14	4XM12	1.11	BK03
1.25	32	F1631.25	78	100	140	43.5	18	2	18	4XM16	1.62	BK04
1.5	40	F1631.5	88	110	150	49.5	18	3	18	4XM16	1.86	BK04
2	50	F4032.0	102	125	165	61.5	20	3	18	4XM16	3.00	BK04
2 1/2	65	F4032.5	122	145	185	74.7	22	3	18	8XM16	3.80	BK07
3	80	F4033.0	138	160	200	90.5	24	3	18	8XM16	4.90	BK07
4	100	F4034.0	162	190	235	116	26	3	22	8XM20	6.50	BK10
5	125	F4035.0	188	220	270	141.5	28	3	22	8XM24	9.00	BK14
6	150	F4036.0	218	250	300	170.5	30	3	26	8XM24	13.20	BK14


FOR 1-1/2" AND BELOW, PN40 ARE THE SAME DIMENSIONS AS PN16 AS SHOWN IN THE TABLE ABOVE

This flange conforms to EN 1092-1 and is available in 316/L.

Full material traceability is available and 3.1B certification can be provided upon request.

Bolt kit sizes shown in the above table are for bolting two flanges together including the thickness of a gasket. If using a wafer pattern valve, longer bolts will be required.

We also keep Gaskets to suit all our flanges in both EPDM and Non-Asbestos materials



We also keep Blind and Threaded flanges to this standard

