

PIPE SIZE	DN	CODE BSPP	A	B	C	D	E	F	G	H	J	BOLT	KG EACH	BOLT KIT CODE
1/2	15	F1640.5	45	65	95	35	20	3	14	14	4	4XM12	0.61	BK03
3/4	20	F1640.75	58	75	105	45	24	3	16	14	4	4XM12	0.91	BK03
1	25	F1641.0	68	85	115	52	24	3	16	14	4	4XM12	1.10	BK03
1.25	32	F1641.25	78	100	140	60	26	3	16	18	6	4XM16	1.60	BK04
1.5	40	F1641.5	88	110	150	70	26	3	16	18	6	4XM16	1.78	BK04
2	50	F1642.0	102	125	165	84	28	3	18	18	6	4XM16	2.43	BK04
2.5	65	F1642.5	122	145	185	104	32	3	18	18	6	4XM16	3.18	BK04
2.5	65	F1642.5/8 HOLE	122	145	185	104	32	3	18	18	6	8XM16	3.18	BK05
3	80	F1643.0	138	160	200	118	34	3	20	18	8	8XM16	4.12	BK07
4	100	F1644.0	158	180	220	140	40	3	20	18	8	8XM16	4.47	BK07


**** DIMENSIONS SUBJECT TO CHANGE - PLEASE CONTACT US IF CRITICAL ****

This flange conforms to EN 1092-1 and is available in 316/L. The threads are to ISO 7/1, 228/1 and ANSI B2.1.

Full material traceability is available and 3.1B certification can be provided upon request.

Bolt kit sizes shown in the above table are for bolting two flanges together including the thickness of a gasket. If using a wafer pattern valve, longer bolts will be required.

We also keep Gaskets to suit all our flanges in both EPDM and Non-Asbestos materials



We also keep Weld Neck, Blind and Slip-On flanges to this standard

