



PIPE SIZE	DN	CODE	A	B	C	D	E	F	G	BOLT	Kg	BOLT KIT CODE
1/2	15	F630.5	40	55	80	22	12	2	11	4XM10	0.41	BK01
3/4	20	F630.75	50	65	90	27.5	14	2	11	4XM10	0.6	BK01
1	25	F631.0	60	75	100	34.5	14	2	11	4XM10	0.73	BK01
1.25	32	F631.25	70	90	120	43.5	16	2	14	4XM12	1.17	BK03
1.5	40	F631.5	80	100	130	49.5	16	3	14	4XM12	1.36	BK03
2	50	F632.0	90	110	140	61.5	16	3	14	4XM12	1.5	BK03
2.5	65	F632.5	110	130	160	74.7	16	3	14	4XM12	1.87	BK03
3	80	F633.0	128	150	190	90.5	18	3	18	4XM16	2.98	BK04
4	100	F634.0	148	170	210	116	20	3	18	4XM16	3.29	BK04
5	125	F635.0	178	200	240	143.8	20	3	18	8XM16	4.36	BK07
6	150	F636.0	202	225	265	170.5	22	3	18	8XM16	4.8	BK07
8	200	F638.0	258	280	320	221.5	22	3	18	8XM16	6.30	BK07

This flange conforms to EN 1092-1 and is available in 316/L.

Full material traceability is available and 3.1B certification can be provided upon request.

Bolt kit sizes shown in the above table are for bolting two flanges together including the thickness of a gasket. If using a wafer pattern valve, longer bolts will be required.

We also keep blind and threaded flanges to this standard



Need a gasket?
We keep those too